



Quality Matting Solutions

Mats

Megahold

Improve stability with
Megahold™ backing.



PROUD DISTRIBUTOR OF *Miliken*



Megahold™ Backing can help prevent Health and Safety issues

Megahold™ rubber backing is an innovative product based on a specially developed heavy duty, soft, tacky nitrile rubber formulation.

It features unique, patented recessed suction cups that stick to the floor to minimise mat movement. It is the ideal solution for public areas with high foot traffic and/or wheeled trolleys such as supermarkets,

airports, exhibition and conference centres, schools and universities, hotels and large office complexes. The backing is resistant to movement – even when heavy suitcases or shopping trolleys are wheeled over the mat.

Megahold™ backing is the ideal solution for “problem” areas where loose-laid mats are not normally accepted.

Megahold™ is the answer to end-user needs

End-users feel that there is a 22% deficit gap between the importance of mat stability and their satisfaction with standard products.

Megahold™ backing has been designed to meet end-user expectations of mat stability.





Megahold™ backing is recommended for mats exposed to wheeled traffic

In high traffic and commercial areas, risk of trips and falls is a growing concern for companies managing these facilities.

Using Megahold™ backing on mats placed in high traffic areas is a solution to prevent the Health and Safety issues and avoid potential claims associated with this risk.

Such injuries can have dramatic consequences for the individual and the insurance of such risks represents a significant cost to businesses.

Installation of Megahold™ Mats



New mats should be washed before use. Ensure that the back of the mat is free of dirt and water.



Walk across the mat to activate suction cups.



Mat in use - resistant to movement.

Backing details:

Megahold™ backing is designed with recessed suction cups to increase contact with the floor.



Customer labelling is available on borders.

Technical Specifications Megahold™

Mats available with Megahold™	WOM® Original, WOM® Plus, WOM® Unicolour - Heavy Duty Scraper™- Cotton Plus™- Absorba®- Colour Symphony™
Textile construction	Please refer to the specifications of the selected product type
Sizes in cm (ca.)	85x150, 85x300, 115x180, 115x200 and 115x350
Backing thickness	2.5 mm
Border thickness	2.5 mm
Laundrying	Please consult our Processing and Handling Guidelines
Warranty	Please refer to our written guarantee

All specifications are according to ISO 9001 Quality certification and ISO 14001 Environmental certification, and are subject to change to meet the ongoing improvements and innovation of our products.

Serra®MAT™ - A division of SERRA SERVICES (Pty) Ltd

Email : info@serra.co.za

Tel : +27 (0)11 334-7447

Fax : +27 (0)11 334-7165 or +27 (0)11 334-9858

Web : www.serra.co.za & www.serramat.co.za

Postal: PO Box 1217 Southdale, South Africa, 2135



www.serramat.co.za