



Quality Matting Solutions

Mats

Special Shapes

The shapes of things to come



PROUD DISTRIBUTOR OF *Miliken*



Semi-circular logomat

Colour Symphony™ Logomats: Design Specifications

When ordering artworks for Colour Symphony™ logomats, we can create your design from almost any original reference. If possible, we prefer to receive the logo artwork as a digital file. Save only what you want to appear on the mat – please do not include comments in the same file. We can use most digital file types:
Optimal: Vector files i.e. EPS, PDF, CDR, AI
Acceptable: Bitmap files: JPG, BMP, TGA, PCX, TIFF
Not acceptable: GIF, MAC files, PowerPoint files, Word documents and Internet files.

If you supply a hard copy of your artwork:
Optimal: Original material acceptable: A high-quality computer print may be acceptable (on paper only). As large as possible up to A4
Not acceptable: Avoid bending, folding, cutting or writing on the artwork. Artwork printed on tissue or a photo.
NB: Artwork requests for special shape Colour Symphony™ logomats must be sent by e-mail to our Customer Service team at matsinfoeurope@milliken.com (not through the internet system).

Rubber Backing: Special Shape Mats

Colour Symphony™ logomats and WOM® mats in special shapes are manufactured with our long lasting nitrile rubber backing, with a flat back finish.



Text legibility is improved by using highly contrasting colours. There is a tolerance of +/- 10 cm on special shape logo and design mats and there will usually be shrinkage of 1-2% after the first couple of washes in industrial laundry equipment.

The minimum size of lines and gaps is 1 cm.

The Milliken design team will evaluate each individual artwork.

*Semi-circular mats for hand hygiene applications:
"Catch the drips and avoid the slips"*



WOM® Original: Circular and oval mats

WOM® – Solution Dyed Textile Mats

Function

WOM® mats are specially designed to pick up dirt and moisture in heavy traffic areas and buildings where a high level of cleanliness is critical. Because they can withstand washing at high temperatures, WOM® mats can also be used in industrial applications where heavy soiling can occur. For details about washing procedure, please consult our Processing and Handling Guidelines at www.millikenwom.com

Appearance Retention

The pre-shrunk Everwear® yarn has been specially developed to ensure that the mat retains its functionality and appearance after many wash cycles – thus minimizing the difference between new and old mats in service.

WOM® mats have a high level of UV resistance and are extremely colourfast. They will not pick up colour from other solution dyed mats during the wash process, if washed according to the recommendations in our Processing and Handling Guidelines.

Inspiration


3 background pattern options:
Each design is available in the 12 most popular background colours.




Sisal



Swirls





Maze



Technical Specifications: Special shape mats

	WOM® range Original/ Plus/ Unicolour	Colour Symphony™ Logo and Monotone mats
Product construction	High twist and heat set solution dyed polyamide textile on 100% nitrile rubber backing with borders	High twist and heat set polyamide 6.6 printed textile on 100% nitrile rubber backing with borders
Total mat weight per m ² (+/- 5%)	2930 gms	3140 gms
Size tolerances	+/- 3 cm	+/- 10 cm
Other specifications	Please refer to product brochure	
Available Shapes	Circle, Semi-circle, Oval and Semi-oval	



Shape	Size in cm	Mat area in m ²	WOM® range Total weight per mat in gms (+/- 5%)	Colour Symphony™ Total weight per mat in gms (+/- 5%)
Circular	85x85	0,57	1670	1790
	115x115	1,04	3050	3270
	150x150	1,77	5190	5560
	200x200	3,14	9200	9860
Semi-circular	85x42	0,29	850	910
	115x57	0,52	1520	1630
	150x75	0,89	2619	2790
	200x100	1,57	4600	4930
Semi-oval	85x150	1,21	3550	3800
	115x200	2,16	6330	6780
	150x250	3,52	10310	11050
Oval	85x150	1,13	3310	3550
	115x200	2,03	5950	6370
	150x250	3,27	9580	10270

All specifications are according to ISO 9001 Quality certification and ISO 14001 Environmental certification, and are subject to change to meet the ongoing improvements and innovation of our products.

Serra®MAT™ – A division of SERRA SERVICES (Pty) Ltd

Email : info@serra.co.za

Tel : +27 (0)11 334-7447

Fax : +27 (0)11 334-7165 or +27 (0)11 334-9858

Web : www.serra.co.za & www.serramat.co.za

Postal: PO Box 1217 Southdale, South Africa, 2135



www.serramat.co.za